

Ejercicios aplicando leyes de los exponentes

$$2^3 =$$

$$(-2)^3 =$$

$$7^2 7^0 =$$

$$2^0 (5)^2 =$$

$$2 (2^5) =$$

$$5^0 (3^0) =$$

$$(2)^3 =$$

$$3^4 =$$

$$(-3)^4 =$$

$$(-3)^3 =$$

$$(-5)^2 =$$

$$(-3)^2 - (-2)^3 =$$

$$3 (5^2) 2^0 =$$

$$(5^4)^0 =$$

$$7^4 / 7^2 =$$

$$8^7 / 8^4 =$$

$$(3^2)^3 =$$

$$32 (4^{-2}) =$$

$$125(5^{-3}) =$$

Ejercicios aplicando leyes de los exponentes

$$18(6^{-1}) =$$

$$3^2 3^3 =$$

$$m^{-4} m^{-3} =$$

$$(-3)^2 =$$

$$2^9 / 2^4 =$$

$$W^7 W^{-2} =$$

$$3^2 (3^3) =$$

$$5^5 / 5^7 =$$

$$W^4 W^6 =$$

$$-(5)^2 =$$

$$-(-3)^2 =$$

$$(-1)^{105} =$$

$$(567)^0 =$$

$$(1)^{640} =$$

$$(-8 + 16/2)^{45} =$$

$$(m^6 n^4 p^3)^2 =$$

$$x^{12} y^5 z^3 / x^{12} y^2 z =$$

Ejercicios:

$$\sqrt[2]{25} =$$

$$\sqrt[2]{-49} =$$

$$\sqrt[4]{256} =$$

$$\sqrt[3]{125} =$$

$$\sqrt[3]{216} =$$

$$\sqrt[7]{-128} =$$

$$2^{3/4} =$$

$$\sqrt[4]{2^3} =$$

$$16^{1/2} =$$

$$\sqrt{16} =$$

$$a^{1/2} =$$

$$\sqrt{a} =$$

$$x^{5/9} =$$

$$\sqrt[9]{x^5} =$$

$$8^{2/3} =$$

$$27^{1/3} =$$

$$b^{3/4} =$$

$$m^{2/5} =$$